



DATASHEET

GripFactory PolyGrip Plates

GripFactory PolyGrip Plates are made of polyester reinforced with fiberglass fibers (GRP) with an aluminum grain. By using these high-quality materials GripFactory PolyGrip Plates are not only very strong and resilient, but also very light and easy to process. GripFactory PolyGrip Plates are available in all RAL colors (standard Black, Gray and Yellow), four different grain sizes and can also be ordered completely to size. GripFactory PolyGrip Plates are a durable solution for hazardous, smooth surfaces. You get a whopping 15 year warranty! Samples are available on request.

GripFactory PolyGrip Plates are suitable for many applications. GripFactory PolyGrip Plates are virtually indestructible, completely splinter- and crack-free, and also weather-resistant. This is how GripFactory PolyGrip Plates prove their service every winter by making concrete floors, ramps and ramps safe(r). Even more because ice and snow do not adhere to this material.

How does it work?

GripFactory PolyGrip Plates are made to measure in the desired color. After this, the GripFactory specialist will assemble the plates if required. Dust-free and without major renovation. Your gallery, stairs, platform or ramp is safe to walk on for years.

Characteristics

- Impact-resistant – long durability
- Effective in wet and oily conditions
- Easy to assemble – reduces installation costs
- Non-conductive – eliminates electrical and thermal hazards
- Suitable for pedestrians, forklift and other heavy traffic
- Maintenance-free – will not rust or corrode
- 65% lighter than steel – easier to handle and cheaper to install
- Available from 2 mm thickness
- Available in any BS or RAL color
- Available to size
- Available in the grains: barefoot, fine, medium or offshore
- UV resistant
- Chemically resistant

Areas of application

GripFactory PolyGrip Plates are suitable for application in the following situations:

- Concrete, wood and steel (fire) stairs
- Galleries
- Loading platforms
- Bridges
- Bankirai / hardwood ramps
- Uneven surfaces
- Offshore and underground applications
- Work platforms
- Steel grids
- and much more...

GripFactory B.V.

Trasmolenlaan 12
3447 GZ Woerden
The Netherlands

☎ +31 (0)348 - 20 30 00

✉ info@gripfactory.nl

🌐 www.gripfactoryantislip.com

Suitable for the surfaces below

- Acrylic & Polyester
- Concrete
- Epoxy
- Wood
- Ceramic Tiles
- Marble & Granite
- Polyester
- Steel Grids
- Tear Plate
- Stairs

Technical data

Subject	Result
Thermal expansion	0×10^{-6} graden C
Flexibility	193 MPa
Tension	123 MPa
Thermal conduction	0.2 w/m2K
Tensile modulus	7.1GPa

Colors

Grey (RAL 7001), black and yellow (08 E 51) are the standard colors. GripFactory PolyGrip Plates can also be manufactured in other colors (on request).

- B.S. 4800 colors
- B.S. 5252 colors
- RAL colors

Grain / coarseness

- Ultra fine (barefoot)
- Fine
- Medium
- Offshore



Fire resistance

GripFactory PolyGrip Plates can be supplied in various fire resistance grains:

- BS 476 Part 7 Class 1
- BS 476 Part 7 Class 2

Weight

Nominal thickness	kg / m ²
3.5 mm	6.80
4 mm	7.80
5 mm	9.70
6 mm	10.80
7 mm	11.90
8 mm	13.20
9 mm	14.40
10 mm	15.36

Pendulum Test Results


Reference	Grain	Roughness Rz	Temperature (C)	Orientation	Test Value	
					Dry	Wet
F66326	Medium	54.5	24	Along	90	83
				Across	98	85
F66324	Fine	64.7	24	Along	103	87
				Across	100	88

Potential for slip	Pendulum Test Value
High	<24
Moderate	25-35
Low	>36

Advantages of PolyGrip

- Flexural strength can be enhanced by the addition of woven reinforcement if required.
- Unlike other "Plastic" glazing products GRP will not drip, melt or soften in the event of fire.
- Compared with many other plastics GRP has minimal expansion and contraction characteristics and will not bow and warp in extremes of temperature.
- PolyGrip is up to seven times stronger than mild steel on a weight for weight basis.

GripFactory PolyGrip Plates are among the most versatile anti-slip solutions available on the market and comply with the strictest international standards in terms of safety and durability.



GRIPFACTORY APPLICATION SERVICE

Are you unable to find a solution or do you have questions? Then contact the GripFactory Service Desk (+31 348 203000). For an additional cost you can have GripFactory PolyGrip products applied by a certified applicator.