

## SAFETY DATA SHEET

GripFactory UltraGrip - Marble

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Trade name: GripFactory UltraGrip Marble

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

*Relevant uses:*

Chemical cleaning products.

*Uses advised against:*

All uses not specified in this section or in section 7.3.

#### 1.3 Details of the supplier of the safety data sheet


GripFactory B.V.  
Trasmolenlaan 12  
3447 GZ Woerden  
T +31 348 20 3000  
E info@gripfactory.nl  
W www.gripfactoryantislip.com  
Chamber of Commerce number: 73.01.42.65  
VAT: NL8593.20.856.B01

#### 1.4 Emergency telephone number


T +31 348 20 3000

GripFactory B.V.

Trasmolenlaan 12  
3447 GZ Woerden  
The Netherlands

 +31 (0)348 - 20 30 00

 info@gripfactory.nl

 www.gripfactoryantislip.com

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

**CLP Regulation (EC) n° 1272/2008:**

Classification of this product has been carried out in accordance with CLP Regulation (EC) n° 1272/2008.


Met. Corr. 1: Corrosive to metals, Category 1, H290

Skin Corr. 1A: Skin corrosion, Category 1A, H314

STOT SE 3: Respiratory tract toxicity, single exposure, Category 3, H335

### 2.2 Label elements

**VCLP Regulation (EC) n° 1272/2008:**



#### Danger

**Hazard statements:**

Met. Corr. 1: H290 - May be corrosive to metals

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage

STOT SE 3: H335 - May cause respiratory irritation

**Precautionary statements:**

P260: Do not breathe dust/fume/gas/mist/vapours/spray

P280: Wear protective gloves/protective clothing/eye protection/face protection

P303: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P361: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P305: IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P351: IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P338: IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P403: Store in a well-ventilated place. Keep container tightly closed

P233: Store in a well-ventilated place. Keep container tightly closed

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

**Substances that contribute to the classification:**

Ammonium hydrogendifluoride

### 2.3 Other hazards

Non-applicable

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substance

Non-applicable

### 3.2 Mixture

**Chemical description:**

Miscellaneous products

**Components:**

In accordance with Annex II of Regulation (EC) n°1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: Non-applicable	Hydrochloric acid (Self-classified)	10 - <25 %
EC: 231-595-7	Regulation 1272/2008	
Index: 017-002-01-X	Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3:	
REACH: 01-2119484862-27-XXXX	H335 - Danger	
CAS: 1341-49-7	Ammonium hydrogendifluoride (ATP CLP00)	2.5 - <5 %
EC: 215-676-4	Regulation 1272/2008	
Index: 009-009-00-4	Acute Tox. 3: H301; Skin Corr. 1B: H314 - Danger	
REACH: 01-2119489180-38-XXXX		
CAS: 111-76-2	2-butoxyethanol (ATP CLP00)	1 - <2.5 %
EC: 203-905-0	Regulation 1272/2008	
Index: 603-014-00-0	Acute Tox. 4: H302+H312+H332; Eye Irrit. 2: H319;	
REACH: 01-2119475108-36-XXXX	Skin Irrit. 2: H315 - Warning	
CAS: 12125-01-8	Ammonium fluoride (ATP CLP00)	0.1 - <1 %
EC: 235-185-9	Regulation 1272/2008	
Index: 009-006-00-8	Acute Tox. 3: H301+H311+H331 - Danger	
REACH: 01-2119974147-30-XXXX		

To obtain more information on the risk of the substances consult sections 8, 11, 12, 15 and 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

Request medical assistance immediately, showing the SDS of this product.

#### *By inhalation:*

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

#### *By skin contact:*

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### *By eye contact:*

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### *By ingestion/aspiration:*

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and its inhalation, to the respiratory system. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administrate anything orally unless supervised by a doctor. Keep the person affected at rest.

### 4.2 Most important symptoms and effects, both acute and delayed

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Product is non-flammable under normal conditions of storage, manipulation and use. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### *Additional provisions:*

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### 6.2 Environmental precautions

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

### 6.3 Methods and material for containment and cleaning up

*It is recommended:*

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

#### *A. Precautions for safe manipulation*

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

#### *B. Technical recommendations for the prevention of fires and explosions*

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

#### *C. Technical recommendations to prevent ergonomic and toxicological risks*

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### *D. Technical recommendations to prevent environmental risks*

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3).

### 7.2 Conditions for safe storage, including any incompatibilities

#### *A. Technical measures for storage*

**Maximum Temp.:**

40 °C

**Maximum time:**

60 Months

#### *B. General conditions for storage*

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5.

### 7.3 Specific end use(s)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

*Substances whose occupational exposure limits have to be monitored in the work environment:*

Identification	Environmental limits		
	2-butoxyethanol	TGG (8h)	20 ppm
CAS: 111-76-2	TGG (STEL)	50 ppm	246 mg/m <sup>3</sup>
EC: 203-905-0	Year	2015	

### *DNEL (Workers):*

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Hydrochloric acid	Oral	n/a	n/a	n/a	n/a
CAS: Niet van toepassing	Dermal	n/a	n/a	n/a	n/a
EC: 231-595-7	Inhalation	n/a	15 mg/m <sup>3</sup>	n/a	8 mg/m <sup>3</sup>
Ammonium hydrogendifluoride	Oral	n/a	n/a	n/a	n/a
CAS: 1341-49-7	Dermal	n/a	n/a	n/a	n/a
EC: 215-676-4	Inhalation	n/a	3.8 mg/m <sup>3</sup>	n/a	2.3 mg/m <sup>3</sup>
2-butoxyethanol	Oral	n/a	n/a	n/a	n/a
CAS: 111-76-2	Dermal	89 mg/kg	n/a	75 mg/kg	n/a
EC: 203-905-0	Inhalation	663 mg/m <sup>3</sup>	246 mg/m <sup>3</sup>	98 mg/m <sup>3</sup>	n/a
Ammonium fluoride	Oral	n/a	n/a	n/a	n/a
CAS: 12125-01-8	Dermal	0.36 mg/kg	n/a	0,36 mg/kg	n/a
EC: 235-185-9	Inhalation	2.5 mg/m <sup>3</sup>	n/a	2,5 mg/m <sup>3</sup>	n/a

### *DNEL (General population):*

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Ammonium hydrogendifluoride	Oral	0.00000015 mg/kg	n.v.t.	0.015 mg/kg	n.v.t.
CAS: 1341-49-7	Dermal	n/a	n/a	n/a	n/a
EC: 215-676-4	Inhalation	n/a	n/a	0.045 mg/m <sup>3</sup>	n/a
2-butoxyethanol	Oral	13.4 mg/kg	n/a	3.2 mg/kg	n/a
CAS: 111-76-2	Dermal	44.5 mg/kg	n/a	38 mg/kg	n/a
EC: 203-905-0	Inhalation	426 mg/m <sup>3</sup>	123 mg/m <sup>3</sup>	49 mg/m <sup>3</sup>	n/a



**PNEC:**

Identification				
Hydrochloric acid CAS: Niet van toepassing EC: 231-595-7	STP	0.036 mg/L	Fresh water	0.036 mg/L
	Soil	n/a	Marine water	0.036 mg/L
	Intermittent	0.045 mg/L	Sediment (Fresh water)	n/a
	Oral	n/a	Sediment (Marine water)	n/a
Ammonium hydrogendifluoride CAS: 1341-49-7 EC: 215-676-4	STP	76 mg/L	Fresh water	1.3 mg/L
	Soil	22 mg/kg	Marine water	n/a
	Intermittent	n/a	Sediment (Fresh water)	n/a
	Oral	n/a	Sediment (Marine water)	n/a
2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	STP	463 mg/L	Fresh water	8.8 mg/L
	Soil	3.13 mg/kg	Marine water	0.88 mg/L
	Intermittent	9.1 mg/L	Sediment (Fresh water)	34.6 mg/kg
	Oral	20 g/kg	Sediment (Marine water)	n/a
Ammonium fluoride CAS: 12125-01-8 EC: 235-185-9	STP	51 mg/L	Fresh water	0.89 mg/L
	Soil	11 mg/kg	Marine water	n/a
	Intermittent	n/a	Sediment (Fresh water)	n/a
	Oral	n/a	Sediment (Marine water)	n/a

## 8.2 Exposure controls



### A. General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.



### B. Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the professional exposure limits are exceeded.



### C. Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Protective gloves against minor risks			Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420 and EN 374.


### D. Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against liquid splash		EN 166:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

### E. Bodily protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			None
	Anti-slip work shoes		EN ISO 20347:2012	None

### F. Additional emergency measures

Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2002



Eyewash stations

DIN 12 899  
ISO 3864-1:2002

***Environmental exposure controls:***

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

For complete information see the product datasheet.

#### Appearance

Physical state at 20 °C:	Liquid
Appearance:	Characteristic
Color:	Colourless
Odor:	Characteristic

#### Volatility

Boiling point at atmospheric pressure:	Non-applicable *
Vapour pressure at 20 °C:	2300 Pa
Vapour pressure at 50 °C:	2300 Pa (2 kPa)
Evaporation rate at 20 °C:	Non-applicable *

#### Product description

Density at 20 °C:	1049 kg/m <sup>3</sup>
Relative density at 20 °C:	Non-applicable *
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	0 - 1
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Zeer oplosbaar
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *

#### Flammability

Flash Point:	Non Flammable (>60 °C)
Autoignition temperature:	Non-applicable *
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *

### 9.2 Other information

Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *

\*Not relevant due to the nature of the product, not providing information property of its hazards.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability

Chemically stable under the conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### 10.5 Incompatible materials

Acids	Water	Combustive materials	Combustible materials	Others
Not applicable	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

### 10.6 Hazardous decomposition products

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

The experimental information related to the toxicological properties of the product itself is not available. Contains glycols. With possibility of effects that are hazardous to the health, it is recommended not to breathe the vapours for long periods of time.

#### *Dangerous health implications:*

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

#### *A. Ingestion:*

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Corrosive product, its consumption causes burns destroying the full thickness of fabrics. For more information on the secondary effects of contact with the skin see section 2.

#### *B. Inhalation:*

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract.

#### *C. Contact with the skin and the eyes:*

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
- Contact with the eyes: Produces serious eye damage after contact.

#### *D. CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):*

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### *E. Sensitizing effects:*

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### *F. Specific target organ toxicity (STOT)-time exposure:*

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

#### *G. Specific target organ toxicity (STOT)-repeated exposure:*

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**H. Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

Identification	Acute toxicity		Genus
2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	LD50 oral	500 mg/kg	Rat
	LD50 dermal	1100 mg/kg	Rat
	LC50 inhalation	11 mg/L (4 h)	Rat
Ammonium fluoride CAS: 12125-01-8 EC: 235-185-9	LD50 oral	100 mg/kg (ATEi)	
	LD50 dermal	300 mg/kg (ATEi)	
	LC50 inhalation	3 mg/L (4 h) (ATEi)	
Ammonium hydrogendifluoride CAS: 1341-49-7 EC: 215-676-4	LD50 oral	130 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	



## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available.

### 12.1 Toxicity

Identification		Acute toxicity	Species	Genus
2-butoxyethanol	LC50	1490 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 111-76-2	EC50	1815 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-905-0	EC50	911 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

### 12.2 Persistence and degradability

Identification		Degradability	Biodegradability	
2-butoxyethanol	BZV5	0.71 g O <sub>2</sub> /g	Concentration	100 mg/L
CAS: 111-76-2	CZV	2.2 g O <sub>2</sub> /g	Period	14 days
EC: 203-905-0	BZV5/CZV	0.32	% Biodegradable	96 %

### 12.3 Bioaccumulative potential

Identification		Bioaccumulation potential
2-butoxyethanol	BCF	3
CAS: 111-76-2	POW log	0.83
EC: 203-905-0	Potential	Low

### 12.4 Mobility in soil

Identification		Absorption/desorption	Volatility	
2-butoxyethanol	Koc	8	Henry	1.621E-1 Pa·m <sup>3</sup> /mol
CAS: 111-76-2	Conclusion	Very High	Dry soil	No
EC: 203-905-0	Surface tension	2.729E-2 N/m (25 °C)	Moist soil	Yes

### 12.5 Results of PBT and vPvB assessment

Non-applicable

### 12.6 Other adverse effects

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user.	Dangerous

**Type of waste (Regulation (EU) No 1357/2014):**  
HP8 Corrosive

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) n°1907/2006 (REACH) the community or state provisions related to waste management are stated.

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 Transport of dangerous goods by land

With regard to ADR 2015 and RID 2015:

**UN number:**

UN3264

**UN proper shipping name:**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)

**Transport hazard class(es):**

8

**Labels:**

8

**Packing group:**

II

**Dangerous for the environment:**

No

**Special precautions for user**

- Special regulations: 274
- Tunnel restriction code: E
- Physico-Chemical properties: see section 9
- Limited quantities: 1 L

**Transport in bulk according to Annex II of Marpol and the IBC Code:**

Non-applicable



### 14.2 Transport of dangerous goods by sea

With regard to IMDG 37-14:

**UN number:**

UN3264

**UN proper shipping name:**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)

**Transport hazard class(es):**

8

**Labels:**

8

**Packing group:**

II

**Dangerous for the environment:**

No



**Special precautions for user**

- Special regulations: 274
- EmS Codes: F-A, S-B
- Physico-Chemical properties: see section 9
- Limited quantities: 1 L

**Transport in bulk according to Annex II of Marpol and the IBC Code:**  
Non-applicable

**14.3 Transport of dangerous goods by air**

With regard to IATA/ICAO 2015:

**UN number:**

UN3264

**UN proper shipping name:**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)

**Transport hazard class(es):**

8

**Labels:**

8

**Packing group:**

II

**Dangerous for the environment:**

No

**Special precautions for user**

- Physico-Chemical properties: see section 9

**Transport in bulk according to Annex II of Marpol and the IBC Code:**

Non-applicable



## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

***Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH):***

Non-applicable

***Substances included in Annex XIV of REACH ("Authorisation List") and sunset date:***

Non-applicable

***Regulation (EC) 1005/2009, about substances that deplete the ozone layer:***

Non-applicable

***Article 95, REGULATION (EU) No 528/2012***

Non-applicable

***REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products:***

Non-applicable

***Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII, REACH):***

Non-applicable

***Specific provisions in terms of protecting people or the environment:***

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

***Other legislation:***

The product could be affected by sectorial legislation.

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation).

### 15.2 Chemical safety assessment

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION

### *Legislation related to safety data sheets:*

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) N° 1907/2006 (Regulation (EU) N° 453/2010, Regulation (EC) N° 2015/830).

### *Modifications related to the previous security card which concerns the ways of managing risks:*

TRANSPORT INFORMATION: UN number

### *Texts of the legislative phrases mentioned in section 2:*

H290: May be corrosive to metals

H314: Causes severe skin burns and eye damage

H335: May cause respiratory irritation

### *Texts of the legislative phrases mentioned in section 3:*

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3.

### *CLP Regulation (EC) n° 1272/2008:*

Acute Tox. 3: H301 - Toxic if swallowed

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

Eye Irrit. 2: H319 - Causes serious eye irritation

Met. Corr. 1: H290 - May be corrosive to metals

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage

Skin Irrit. 2: H315 - Causes skin irritation

STOT SE 3: H335 - May cause respiratory irritation

### *Advice related to training:*

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

### *Principal bibliographical sources:*

- <http://esis.jrc.ec.europa.eu>
- <http://echa.europa.eu>
- <http://eur-lex.europa.eu>

### *Abbreviations and acronyms:*

- ADR: European agreement concerning the international carriage of dangerous goods by road
- IMDG: International maritime dangerous goods code
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- COD: Chemical Oxygen Demand
- BOD5: 5-day biochemical oxygen demand
- BCF: Bioconcentration factor
- LD50: Lethal Dose 50
- CL50: Lethal Concentration 50

- EC50: Effective concentration 50
- Log-POW: Octanol–water partition coefficient
- Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.