

SAFETY DATA SHEET

GripFactory UltraGrip - Tiles

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Tradename: GripFactory UltraGrip Tiles

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant uses:

Chemical cleaning products.

Uses advised against:

All uses not specified in this section or in section 7.3.

1.3 Details of the supplier of the safety data sheet


GripFactory B.V.
Trasmolenlaan 12
3447 GZ Woerden
T +31 348 20 3000
E info@gripfactory.nl
W www.gripfactoryantislip.com
Chamber of Commerce number: 73.01.42.65
VAT: NL8593.20.856.B01

1.4 Emergency telephone number


T +31 348 20 3000

GripFactory B.V.

Trasmolenlaan 12
3447 GZ Woerden
The Netherlands

 +31 (0)348 - 20 30 00

 info@gripfactory.nl

 www.gripfactoryantislip.com

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLP Regulation (EC) n° 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) n° 1272/2008.

Met. Corr. 1: Corrosive to metals, Category 1, H290

Skin Corr. 1A: Skin corrosion, Category 1A, H314

2.2 Label elements

CLP Regulation (EC) n° 1272/2008:

Danger



Hazard statements:

Met. Corr. 1: H290 - May be corrosive to metals

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage

Precautionary statements:

P220: Keep or store away from combustible materials

P260: Do not breathe dust/fume/gas/mist/vapours/spray

P280: Wear protective gloves/protective clothing/eye protection/face protection

P301: IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P330: IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P361: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P351: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

Substances that contribute to the classification:

Ammonium hydrogendifluoride

2.3 Other hazards

Non-applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance

Non-applicable

3.2 Mixture

Chemical description:

Miscellaneous products

Components:

In accordance with Annex II of Regulation (EC) n°1907/2006 (point 3), the product contains:

| Identification | Chemical name/Classification | Concentration |
|------------------------------|--|---------------|
| CAS: 1341-49-7 | Ammonium hydrogendifluoride (ATP CLP00) | 2.5 - <5 % |
| EC: 215-676-4 | Regulation 1272/2008 | |
| Index: 009-009-00-4 | Acute Tox. 3: H301; Skin Corr. 1B: H314 - Danger | |
| REACH: 01-2119489180-38-XXXX | | |

To obtain more information on the risk of the substances consult sections 8, 11, 12, 15 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and its inhalation, to the respiratory system. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administrate anything orally unless supervised by a doctor. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Product is non-flammable under normal conditions of storage, manipulation and use. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

A. Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B. Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C. Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D. Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3).

7.2 Conditions for safe storage, including any incompatibilities

A. Technical measures for storage

Maximum Temp.:

40 °C

Maximum time:

60 Months

B. General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5.

7.3 Specific end use(s)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Substances whose occupational exposure limits have to be monitored in the work environment:
There are no occupational exposure limits for the substances contained in the product.

DNEL (Workers):

| Identification | | Short exposure | | Long exposure | |
|--|------------|----------------|-----------------------|-----------------------|-------|
| | | Systemic | Local | Systemic | Local |
| Ammonium hydrogendifluoride CAS: 1341-49-7 EC: 215-676-4 | Oral | n/a | n/a | n/a | n/a |
| | Dermal | n/a | n/a | n/a | n/a |
| | Inhalation | n/a | 3.8 mg/m ³ | 2.3 mg/m ³ | n/a |

DNEL (General population):

| Identification | | | | | |
|--|--------------|----------|-------------------------|----------|--|
| Ammonium hydrogendifluoride CAS: 1341-49-7 EC: 215-676-4 | STP | 76 mg/L | Fresh water | 1.3 mg/L | |
| | Soil | 22 mg/kg | Marine water | n/a | |
| | Intermittent | n/a | Sediment (Fresh water) | n/a | |
| | Oral | n/a | Sediment (Marine water) | n/a | |

8.2 Exposure controls



A. General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.



B. Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the professional exposure limits are exceeded.



C. Specific protection for the hands

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|--|---------------------------------------|---|--------------|--|
|  Mandatory hand protection | Protective gloves against minor risks |  | | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/ industrials, we recommend using CE III gloves in line with standards EN 420 and EN 374. |



D. Ocular and facial protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|--|---|---|---------------------------------|---|
|  Mandatory face protection | Panoramic glasses against liquid splash |  | EN 166:2001 EN ISO 4007:2012 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E. Bodily protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|-----------|----------------------|---|-------------------|---------------------------|
| | Work clothing |  | | For professional use only |
| | Anti-slip work shoes |  | EN ISO 20347:2012 | None |

F. Additional emergency measures

| Emergency measure | Standards |
|---|---|
|  <p data-bbox="161 633 400 667">Emergency shower</p> | <p data-bbox="884 539 1086 600">ANSI Z358-1 ISO 3864-1:2002</p> |
|  <p data-bbox="161 835 376 869">Eyewash stations</p> | <p data-bbox="884 741 1086 801">DIN 12 899 ISO 3864-1:2002</p> |

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

For complete information see the product datasheet.

Appearance

| | |
|--------------------------|----------------|
| Physical state at 20 °C: | Liquid |
| Appearance: | Oily |
| Color: | Colourless |
| Odor: | Characteristic |

Volatility

| | |
|--|------------------|
| Boiling point at atmospheric pressure: | 100 °C |
| Vapour pressure at 20 °C: | 2300 Pa |
| Vapour pressure at 50 °C: | 2300 Pa (2 kPa) |
| Evaporation rate at 20 °C: | Non-applicable * |

Product description

| | |
|--|------------------------|
| Density at 20 °C: | 1010 kg/m ³ |
| Relative density at 20 °C: | Non-applicable * |
| Dynamic viscosity at 20 °C: | 11 cP |
| Kinematic viscosity at 20 °C: | Non-applicable * |
| Kinematic viscosity at 40 °C: | Non-applicable * |
| Concentration: | Non-applicable * |
| pH: | 4.2 |
| Vapour density at 20 °C: | Non-applicable * |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable * |
| Solubility in water at 20 °C: | Non-applicable * |
| Solubility properties: | Soluble |
| Decomposition temperature: | Non-applicable * |
| Melting point/freezing point: | Non-applicable * |

Flammability

| | |
|---------------------------|------------------------|
| Flash Point: | Non Flammable (>60 °C) |
| Autoignition temperature: | Non-applicable * |
| Lower flammability limit: | Non-applicable * |
| Upper flammability limit: | Non-applicable * |

9.2 Other information

| | |
|---------------------------|------------------|
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index: | Non-applicable * |

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|----------|----------|
| n/a | n/a | n/a | n/a | n/a |

10.5 Incompatible materials

| Acids | Water | Oxidizing substances | Combustible materials | Others |
|-------|-------|----------------------|-----------------------|-------------------------------|
| n/a | n/a | Precaution | n/a | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

The experimental information related to the toxicological properties of the product itself is not available.

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A. Ingestion:

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Corrosive product, its consumption causes burns destroying the full thickness of fabrics. For more information on the secondary effects of contact with the skin see section 2.

B. Inhalation:

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract.

C. Contact with the skin and the eyes:

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
- Contact with the eyes: Produces serious eye damage after contact.

D. CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

E. Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

F. Specific target organ toxicity (STOT)-time exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

G. Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H. Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as

dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

| Identification | Acute toxicity | | Genus |
|-----------------------------|-----------------|-----------|-------|
| Ammonium hydrogendifluoride | LD50 oral | 130 mg/kg | Rat |
| CAS: 1341-49-7 | LD50 dermal | n/a | |
| EC: 215-676-4 | LC50 inhalation | n/a | |

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available.

12.1 Toxicity

Not available

12.2 Persistence and degradability

Not available

12.3 Bioaccumulative potential

Not available

12.4 Mobility in soil

Not available

12.5 Results of PBT and vPvB assessment

Non-applicable

12.6 Other adverse effects

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|------|---|--|
| | It is not possible to assign a specific code, as it depends on the intended use by the user | Non dangerous |

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) n°1907/2006 (REACH) the community or state provisions related to waste management are stated.

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014.

SECTION 14: TRANSPORT INFORMATION

14.1 Transport of dangerous goods by land

With regard to ADR 2015 and RID 2015:

UN number:

UN3264

UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Ammonium hydrogendifluoride)

Transport hazard class(es):

8

Labels:

8

Packing group:

II

Dangerous for the environment:

No

Special precautions for user

- Special regulations: 274
- Tunnel restriction code: E
- Physico-Chemical properties: see section 9
- Limited quantities: 1 L

Transport in bulk according to Annex II of Marpol and the IBC Code:

Non-applicable



14.2 Transport of dangerous goods by sea

With regard to IMDG 37-14:

UN number:

UN3264

UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Ammonium hydrogendifluoride)

Transport hazard class(es):

8

Labels:

8

Packing group:

II

Dangerous for the environment:

No



Special precautions for user

- Special regulations: 274
- EmS Codes: F-A, S-B
- Physico-Chemical properties: see section 9
- Limited quantities: 1 L

Transport in bulk according to Annex II of Marpol and the IBC Code:
Non-applicable

14.3 Transport of dangerous goods by air
With regard to IATA/ICAO 2015:

UN number:
UN3264

UN proper shipping name:
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Ammonium hydrogendifluoride)

Transport hazard class(es):
8

Labels:
8

Packing group:
II

Dangerous for the environment:
No

Special precautions for user

- Physico-Chemical properties: see section 9

Transport in bulk according to Annex II of Marpol and the IBC Code:
Non-applicable



SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH):

Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date:

Non-applicable

Regulation (EC) 1005/2009, about substances that deplete the ozone layer:

Non-applicable

Article 95, REGULATION (EU) No 528/2012:

Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII, REACH):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation.

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation).

15.2 Chemical safety assessment

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) N° 1907/2006 (Regulation (EU) N° 453/2010, Regulation (EC) N° 2015/830).

Modifications related to the previous security card which concerns the ways of managing risks:

ITRANSPORT INFORMATION: UN number

Texts of the legislative phrases mentioned in section 2:

H290: May be corrosive to metals

H314: Causes severe skin burns and eye damage

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3.

CLP Regulation (EC) n° 1272/2008:

Acute Tox. 3: H301 - Toxic if swallowed

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

- <http://esis.jrc.ec.europa.eu>
- <http://echa.europa.eu>
- <http://eur-lex.europa.eu>

Abbreviations and acronyms:

- ADR: European agreement concerning the international carriage of dangerous goods by road
- IMDG: International maritime dangerous goods code
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- COD: Chemical Oxygen Demand
- BOD5: 5-day biochemical oxygen demand
- BCF: Bioconcentration factor
- LD50: Lethal Dose 50
- CL50: Lethal Concentration 50
- EC50: Effective concentration 50
- Log-POW: Octanol–water partition coefficient
- Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information

cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.